
# The 10-Year Remote Sensing Industry Forecast and Analysis








MAPPS Winter Meeting January 19-23, 2002

Ron Rabin, Lockheed Martin, Stennis Space Center





#### Remote Sensing Industry Definition











#### Forecast Participants

- NASA
- NOAA
- USGS

- ASPRS
- NSGIC
- MAPPS

- Space Imaging
- Kodak
- · SPOT
- EarthData
- PAR
- Autometrics
- Spencer-Gross
- · American Forests
- RAND
- Pictometry
- Leading Edge
- · Lockheed Martin
- Geomatics
- Eaglescan
- · Landcare Avn.

- University of Arizona
- University of Utah
- University of Missouri
- RIT









#### Data Collection to Date

#### **✓** Phase I

- Interviews:
- Surveys:
- "Closed Envelope:

#### **✓** Phase II

- Interviews
- Focus Groups
- Surveys

36 (Commercial)

437 (Commercial, Government, Academia)

38 (Commercial, Senior level)

134 (Managers, Users, SLT Government)

5 (NSGIC, Local GIS, ASPRS/MAPPS, URISA, Western Foresters)


>700 and counting



















#### Assumption

- **✓ We** have a representative sample.
  - About 1450 industry professionals
    - → Phase I
      - ⇒ 36 Interviews (commercial); 437 survey responses; Closed Envelope (43)
    - → Phase II
      - ⇒ 134 Interviews; 733 Surveys; 5 Focus Groups (@15 people per)
  - Geographic Dispersion
  - Breadth of participation










#### **Estimated CRSI Sales 1998 to 2010**

#### Forecast Baseline

Based on calculating the average annual growth rate from 1998-2000 (respondent estimates) and applying that rate to the out-years














### Market Segment as % of Sales CY 2000










## Educational Levels by Sector





#### A Very Well Educated Industry




- Greater than 90% of the respondents have a 4-year college degree.
- Over 60% of the respondents have a Masters degree or better.







### Remote Sensing Experience



- · A bi-modally distributed workforce
- Government has most "entry levels" (>20%), but least with 10/11+ years of experience (<30%)
- Academia has nearly 40% with 11+ years experience








## Use/Plan To Use Remote Sensing Data/Information/Software





Estimated short term growth: 8.0%

• Data:

9.3%

• Information:

8.0%

Software:

6.5%









#### Overview Reliance on Sources of DIS by Sector

West was the consequence of the processing	Transfer de la company		
	Data	Information	Software
Sector			
1.00			
Academic :	45%	32%	23%
Commercial	42%	37%	
			21%
Gövernment	42%	41%	16%

- · Generally, there is more reliance on Data; less on Software
- Sectors are about the same with regard to Data
- Commercial and Government Sectors are more inclined to rely on Information; Academic less so
- Academic and Commercial Sectors are more inclined to rely on Software; Government less so










#### Timeliness Requirements



- · Government Sector has more interest in "Real Time" ranges than other Sectors
- Nearly 60% of Commercial Sector interest centers on the "1-3 Days" and "1-3 Weeks" ranges
- · All Sectors show high interest in the "1-3 Weeks" range
- · Timeliness requirements mirror from sector to sector.
- Cluster around the "1-3 Day"; "1-3 Week".











### Spatial Resolution Needed by Sectors



- The "Spatial Resolution" of choice for meeting future needs is 1 meter or less
- Spatial Resolution needs tend to cluster at the generally available 1; 10; and 30 meters
- There is a continued need at
- >100 meters

There were 26% more responses to "Use" than to "Need".

By inference, the Needs of Users of Remote Sensing D/I/S concerned with Spatial Resolution are being met 74% of the time.









#### Spatial Resolution Use Vs. Need





Stelles of 1.3 seed feel leter stelet feel feel of feel of feel feel feel of f



inches of 12.2 feet present detect present pre




The data from the respondents indicates that the major "need" across the sectors is for Spatial Resolutions less than a meter. Migration Data







## Elevation Accuracy Use Vs. Need



- 3-5 Feet Elevation Accuracy is the cross over
- · The trend is to increased Elevation Accuracy










### Use of Image Types: 2001Vs. 2006



Increase M	<b>l</b> ost	Increas	e i	About Sa	ame	Decrease	Most
Don't Know	40%	<b>Digital Color</b>	7%	Digital Color		White the same of	17%
Hyperspectral	44%			Multispectral	<-1%	Color IR	17%
SAR	44%				Lance section in the	Color Film	27%
LIDAR	37%					Pan B/W	37%










### Geo-location Accuracy





It appears that there is a need for increased geo-location accuracy, especially at the 3 feet and less levels





#### How Often Do You need Data / Information from aspre the following: All Sectors



	Almost Every Day		Every Month	Less Than Every Month	Never	Total
Aerial based Systems	22%	12%	16%	44%	5%	717
Satellite based Systems	14%	13%	18%	45%	11%	717
GIS	52%	15%	12%	16%	5%	717
GPS	23%	16%	22%	31%	8%	717
Hardcopy Maps	33%	21%	19%	24%	4%	717
Field Data	22%	18%	22%	32%	6%	717

 White Boxes w/Black numbers: Most Needed

White Boxes w/Red

numbers: Never Needed


Reverse total and never columns <done> and add never into total <done> Change numbers to % <done> no shades of gray in total Test xyz type chai





# How Often Data/Information by General Type is Needed: All Sectors





Frequency of Use

Leave gps and field as line other bars

- GIS And Hardcopy Maps are most often needed "Almost Every Day"; Satellite-based System Data / Information least
- The Bi-modality indicates some tools are frequently used "Almost Every Day" others "Less Than Every Month
- There may be a relationship between frequency of need and frequency of up-dates required








# How Often Data/Information by General Type is Needed: All Sectors






Aerial and Satellite appear to follow a similar trend in collection profile

The "Every Day and Never" differences may be based on the significant number of aerial versus satellite providers and product differentiation

Do T test










#### Importance of D/I/S Characteristics: All Sectors

Assume the "Somewhat Important" and "Important" dimensions are nearly the same. Make a similar assumption re: "Very Important" and "Extremely Important"










Responses



#### Importance of D/I/S Characteristics: All Sectors





In the aggregate of all Sectors, Cost; Currentness of Data; Geo-Location Accuracy; and Spatial Resolution are most important while Revisit Rate is least important







#### Most Important D/I/S Characteristics Across Sectors

Characteristics	Sectors		
	Academic	Commercial	Government
Spatial Resolution		3	3
Geo-Location Accuracy	3	1	3
"Currentness" of Data		2	1
Cost	2	3	2
Data Format			
Area Coverage/Theme Size			3
Timeliness of Data Delivery			
Ease of Use		(B) (2)	
Revisit Rate			
Color/Spectral/Radiometric	3		
Quality			
Documentation/Metadata			
Accuracy Statement			3

1 Most Important

- •Apparently, Spatial Resolution, Geo-Location Accuracy and Cost are the *Most Important (1)* Characteristics
- · Cost is important, but does not seem to be the primary driver
- These results are virtually the same as our interview results








Responses



#### Satisfaction with D/I/S Characteristics: All Sectors


Assume the "Somewhat Satisfied" and "Satisfied" dimensions are nearly the same. Make a similar assumption re: "Very Satisfied" and "Extremely Satisfied"











**Estimate of Purchases** 


Base Year. No real change in purchase trends from 1999











**Estimate of Purchases** 


Data/Information purchases show growth trend; Software stays same











**Estimate of Purchases** 


Data/Information revert to 2000 levels; Software stays the same














Like 2001. Data/Information shows growth trend; Software stays same







**Estimate of Purchases** 

•Like 2005. Data/Information Continues growth trend; Software stays same

• Data/Information approximates Bi-modal. About Half predict increases

#### **REPORT DOCUMENTATION PAGE**

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NOT RETURN YOUR FORM T	O THE ABOVE ADDRESS.			
1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE		3. DATES COVERED (From - To)	
08-01-2002				
4. TITLE AND SUBTITLE	5a. COI		NTRACT NUMBER	
The 10 Year Remote Sensing Industry Forecast		NAS13-650		
			ANT NUMBER	
:				
		5c. PRO	OGRAM ELEMENT NUMBER	
6. AUTHOR(S)		5d PRO	OJECT NUMBER	
Ron Rabin		July 1	JOEOT HOMBER	
		5e TAS	K NUMBER	
		5f. WOF	RK UNIT NUMBER	
7. PERFORMING ORGANIZATION N	AME(S) AND ADDRESS(ES)	I	8. PERFORMING ORGANIZATION	
Lockheed Martin Space Operations	- Stennis Programs, Commercial R	Lemote Sensing	REPORT NUMBER	
Directorate				
			SE-2002-01-00002-SSC	
9. SPONSORING/MONITORING AGE	NCY NAME(S) AND ADDRESS(ES)		10. SPONSORING/MONITOR'S ACRONYM(S)	
Earth Science Application Directora				
•				
			11. SPONSORING/MONITORING	
			REPORT NUMBER	
12. DISTRIBUTION/AVAILABILITY STA	TERRENT			
Publicly Availability STI per form				
t donery revailability 511 per 10111	1070			
13. SUPPLEMENTARY NOTES				
	nent Association for Private Photog	grammetric Survey	vors (MAPPS) Winter Meeting 2002 Cabo	
14. ABSTRACT				
			J	